

# YY

*Ties with A World of Difference*

## **CABLE ACCESSORIES**



SINCE 1964  
YONYU GROUP

**Y.Y. CABLE ACCESSORIES CO., LTD**

# P.C.B. FASTENERS

## PC 板固定零件




### LOCKING WIRE SADDLE


#### (80) 隔離束線座

- ◎材質：Nylon 6/6
- ◎防火等級：UL 94V-2
- ◎顏色：本色
- ◎適用機孔  $\Phi 4.8\text{mm}$

- Material: Nylon 6/6
- Flammability: UL 94V-2
- Color: Natural
- Lift wires off board to avoid hot components and minimize transient interference
- Resists to vibration or shock
- Mounting hole diameter  $\Phi 4.8\text{mm}$



品名 ITEM NO.	機板厚度 D PCB THICKNESS	尺寸 DIMENSIONS			包裝 PACKING
		A mm	B mm	C mm	
WS-05	2.0	12.7	11.0	4.0	500pcs
WS-10	2.0	17.9	11.0	8.6	
WS-11	2.0	26.9	11.0	18.2	
WS-C20	2.0	28.05	11.0	19.15	




### TWIST HOLDERS

#### (80) 隔離扭線環

- ◎材質：Nylon 6/6
- ◎防火等級：UL 94V-2
- ◎顏色：本色
- ◎適用機孔  $\Phi 4.8\text{mm} \sim \Phi 5.0\text{mm}$

- Material: Nylon 6/6
- Flammability: UL 94V-2
- Lifts and routes wires
- Improve circuit safety by over-routing hot components
- Mounting hole diameter  $\Phi 4.8\text{mm} \sim \Phi 5.0\text{mm}$



品名 ITEM NO.	機板厚度 E PCB THICKNESS	尺寸 DIMENSIONS				包裝 PACKING
		A mm	B mm	C mm	D mm	
TH-03	0.5~2.0	$\Phi 11.5$	19.55	10.50	14.00	1,000pcs
TH-04		$\Phi 20$	16.20	10.40	16.00	
TH-10		$\Phi 7.0$	32.30	10.50	14.00	




### MINIATURE SUPPORT POST

#### (80) PC 板隔離插柱

- ◎材質：Nylon 6/6
- ◎防火等級：UL 94V-2
- ◎顏色：本色
- ◎適用機孔  $\Phi 4.0\text{mm}$

- Material: Nylon 6/6
- Flammability: UL 94V-2
- Color: Natural



品名 ITEM NO.	尺寸 DIMENSIONS		包裝 PACKING
	A mm (in.)	D $\Phi$ mm	
MSP-3	3.2 (0.13")	4.0	2,000pcs
MSP-6	6.3 (0.25")		
MSP-8	8.2 (0.32")		
MSP-10	10.5 (0.41")		
MSP-15	15.9 (0.62")		
MSP-19	19.1 (0.75")		1,000pcs

# P.C.B. FASTENERS

## PC 板固定零件




### DUAL LOCKING SUPPORTS

#### (80) 雙鉤式隔離插柱

- ◎材質：Nylon 6/6
- ◎防火等級：UL 94V-2
- ◎適用機孔  $\Phi 4.0$
- ◎雙鉤插式設計可承震動，適用一般 PC 板及電子零件之固定

- Material: Nylon 6/6
- Flammability: UL 94V-2
- Barbed arrow mounts on both ends locking securely
- For PCB / Chassis spacers



DLS-5A

品名 ITEM NO.	A mm	包裝 PACKING
DLS-5	4.8	1,000pcs
DLS-5A	4.8	
DLS-6	6.4	
DLS-10	9.4	
DLS-12	12.7	
DLS-16	15.9	
DLS-19	19.1	
DLS-22	22.2	
DLS-25	25.4	
DLS-31.7	31.7	




### SCREW FASTENED CIRCUIT BOARD SUPPORT

#### (80) 平底式隔離插柱

- ◎材質：Nylon 6/6
- ◎防火等級：UL 94V-2
- ◎一般用於不加底板之機器，固定後不會凸出底座

- Material: Nylon 6/6
- Flammability: UL 94V-2
- Attached M3 screw to chassis



品名 ITEM NO.	A mm	螺絲 SCREW	包裝 PACKING
SBS-5	5	M3	1,000pcs
SBS-10	10		
SBS-15	15		
SBS-20	20		
SBS-29	30		
SBS-35	35		500 pcs



# P.C.B. FASTENERS


## PC 板固定零件



### SLIDE SPACER SUPPORTS (80) 推式隔離插柱

◎材質：Nylon 6/6  
◎防火等級：UL 94V-2

- Material: Nylon 6/6
- Flammability: UL 94V-2
- Insert support from larger hole and slide onto the smaller




品名 ITEM NO.	尺寸 DIMENSIONS			包裝 PACKING
	A mm	B mm	C mm	
SSS-6	6.4	1.5~2.3	0.8~1.5	1000pcs



### REVERSE SPACER SUPPORT (80) PC 板間隔柱

◎材質：Nylon 6/6  
◎防火等級：UL 94V-2  
◎適用  $\Phi 4.0\text{mm}$  機板，底孔孔徑  $\Phi 5.5\text{mm}$

- Material: Nylon 6/6
- Flammability: UL 94V-2
- Snap into chassis and board holes with finger, insert from chassis hole underside
- Hole in P.C.B  $\Phi 4.0\text{mm}$ ; Chassis dia.:  $\Phi 5.5\text{mm}$




品名 ITEM NO.	尺寸 DIMENSIONS			包裝 PACKING
	A mm	B mm	C mm	
RSS-6	6.4	1.6	0.8~1.2	1000pcs
RSS-8	8			
RSS-10	10			
RSS-12	12.7			
RSS-15	15.9			
RSS-19	19			



### MUSHROOM SPACER SUPPORTS (80) 平頂隔離插柱

◎材質：Nylon 6/6  
◎防火等級：UL 94V-2  
◎適用機孔  $\Phi 5.5\text{mm}$


- Material: Nylon 6/6
- Flammability: UL 94V-2
- Color: Natural
- Hole in chassis dia.:  $\Phi 5.5\text{mm}$



品名 ITEM NO.	尺寸 DIMENSIONS		包裝 PACKING
	A mm (in.)	B mm	
MSS-5	5.0 (0.20")	10.0	1,000pcs
MSS-6	6.4 (0.25")	10.0	
MSS-8	8.0 (0.32")	10.0	
MSS-10	10.0 (0.39")	10.0	
MSS-12	12.7 (0.50")	10.0	
MSS-14	14.0 (0.55")	10.0	
MSS-16	15.9 (0.62")	10.0	

# P.C.B. FASTENERS


## PC 板固定零件




### PLASTIC SCREWS (86) 塑膠螺絲

◎材質：採透明 PC 料或 Nylon 6/6 材質  
◎用途：適用 PC 板，機板

- Material: PC (Transparent) or Nylon 6/6
- Flammability: UL 94V-2
- For fixation of circuit board or electronic apparatus
- Excellent insulation, light weight, and no rust



TYPE	品名 ITEM NO.	尺寸 DIMENSIONS				包裝 PACKING
		A Φ	B mm	C mm	螺距 PITCH mm	
Nut 螺帽	PN-2	M2	1.4	3.95	0.4	1,000pcs
	PN-3	M3	2.5	5.6	0.5	
	PN-4	M4	3.2	7	0.7	
	PN-5	M5	4	8	0.8	
	PN-6	M6	5	10	1	




TYPE	品名 ITEM NO.	尺寸 DIMENSIONS					包裝 PACKING
		A Φ	B mm	C mm	D mm	螺距 PITCH mm	
Screw 螺絲	PS-306	M3	6	2	5.5	0.5	1,000pcs
	PS-308		8				
	PS-310		10				
	PS-312		12				
	PS-408	M4	8	2.4	7	0.7	
	PS-410		10				
	PS-412		12				
	PS-414		14				
	PS-420		20				
	PS-425	25					
	PS-512	M5	12	3	8.8	0.8	
	PS-520		20				
	PS-530		30				
	PS-535		35				
	PS-620	M6	20	3.5	10.3	1	
	PS-630		30				
	PS-640		40				



### PUSH RIVETS (86) 推式鉚釘

◎材質：Nylon 6/6  
◎防火等級：UL 94V-2  
◎顏色：黑色

- Material: Nylon 6/6
- Flammability: UL 94V-2
- Color: Black
- Installed with fingertip pressure
- Legs expand to securely fasten




品名 ITEM NO.	尺寸 DIMENSIONS				板厚 PANEL THICK	包裝 PACKING
	Φd mm	L mm	ΦD mm	A mm		
PR-3035	3	3.6	6.3	1.7	1~2	1,000pcs
PR-3045		4.5			2~3	
PR-3055		5.5			3~3.5	
PR-3065		6.5			4~5	
PR-3075		7.5			5~6	
PR-3545	3.5	4.5	7.8	1.9	2~3	
PR-3550		5			2.5~3.5	
PR-4050	4	5	8.0	2	3.5~4.5	
PR-4060		6.1			4.5~5.5	
PR-4070		7.1				



# P.C.B. FASTENERS

## PC 板固定零件




### DIN RAILS (85) 鋁軌


◎材質：鋁

• Material: Aluminum

AR-25



AR-35




品名 ITEM NO.	寬度 WIDTH mm	高度 HEIGHT mm	包裝 PACKING
AR-25	25	10.5	1M/pc
AR-35	35	7.5	



### ANCHOR CLIP

◎材質：採 POM 料

• Material: POM




品名 ITEM NO.	尺寸 DIMENSIONS		包裝 PACKING
	孔徑 Hole Dimension mm	板厚 Board Thickness mm	
AC-A503	Φ 5.2	0.7 ~ 0.8	1,000pcs



### PUSH RIVET

◎材質：採 POM 料

• Material: POM




品名 ITEM NO.	尺寸 DIMENSIONS		包裝 PACKING
	孔徑 Hole Dimension mm	板厚 Board Thickness mm	
PR-F2N95	Φ 7.8 ~ 8.5	5.4 ~ 8.0	1,000pcs



### SCRIVET

◎材質：採 PA6 料

• Material: PA6




品名 ITEM NO.	尺寸 DIMENSIONS		包裝 PACKING
	孔徑 Hole Dimension mm	板厚 Board Thickness mm	
SC-F1A79	Φ 6.0	3.3 ~ 6.0	1,000pcs



# P.C.B. FASTENERS


## PC 板固定零件



**TRIM CLIP**

◎ 材質：採 POM 料

• Material: POM




品名 ITEM NO.	尺寸 DIMENSIONS			包裝 PACKING
	孔徑 Panel Hole Dimension mm	板厚 Panel Thickness mm	板厚 Board Thickness mm	
TC-10G6	Φ 8.5	0.8	2.2	1,000pcs
TC-F3M89	Φ 8.5	0.8		1,000pcs



**CABLE CLIP**

◎ 材質：採 PA6 料


• Material: PA6



品名 ITEM NO.	尺寸 DIMENSIONS		包裝 PACKING
	孔徑 Hole Dimension mm	板厚 Board Thickness mm	
CC-F3216	Φ 5.4	0.8 ~ 2.0	1,000pcs



**DAMPER**



品名 ITEM NO.	尺寸 DIMENSIONS						包裝 PACKING
	種類 Type	齒型 Gear Shape	模數 Module	壓力角 Pressure Angle mm	齒數 Number of Gears	節圓直徑 Ditch Circle Diameter mm	
DM-F001P	Standard Gear	Involute Curve	0.8	20	11	Φ 8.8	1,000pcs

### NOTE:

- ◆ Products are warranted to be free from defects in material and workmanship at the time sold by us, but our obligation under this warranty and that of seller is limited to the replacement of the product, Under no circumstances we shall be liable for any loss, damage, expenses, or consequential damages of any kind arising out of the use or inability to use these products.
- ◆ The products are sold with the understanding that the user will test them in actual use and determine their adaptability for the intended uses. Before using, user shall determine the suitability of the product for his intended use. We do not guarantee favorable results or assume any liability in connection with its use. Dimensions contained herein are for reference purposes only. Consult us for specific dimensional requirements.





## PRODUCT CATALOG

### 尼龍束帶 CABLE TIES



Y.Y. CABLE TIES  
尼龍束帶 P1-10



POLYPROPYLENE  
CABLE TIES  
PP束帶 P6



RELEASABLE  
TIES  
可鬆開式束帶 P11



MOUNTABLE  
HEAD TIES  
圓頭鎖式束帶 P12



MARKER TIES  
標示型束帶 P12



DOUBLE HEAD  
CABLE TIE  
雙頭式束帶 P13

### 配線固定零件 TIE MOUNTS CLAMPS



TIE MOUNTS  
(SELF-ADHESIVE)  
黏式固定座 P23



TIE MOUNTS  
(SADDLE TYPE)  
馬蹄型固定座 P23



CABLE CLAMPS  
配線固定鈕 P24



MANSONRY PUSH  
MOUNTS  
壁虎固定座 P24



JFC CLIP  
J型固定夾 P25



CABLE MOUNT  
電線固定夾 P25

### 配線保護零件 PROTECTS



HEAT SHRINKABLE  
TUBINGS  
薄壁熱收縮套管 P34



DUAL WALL  
(Adhesive-lined)  
雙層含膠含水型熱  
收縮套管 P35



HEAT SHRINKABLE  
TUBING BOX  
熱縮管整理盒 P36



HOT AIR GUN  
熱風槍 P36



SPLIT FLEXIBLE  
CONDUIT  
剖開式浪管 P37



SOLID FLEXIBLE  
CONDUIT  
密閉式浪管 P38

### 電線接頭端子 CONNECTORS



CLOSED-END  
CONNECTORS  
閉端端子 P47



WING  
CONNECTORS  
翼型彈簧式旋轉接頭 P47



WIRE-NUT  
CONNECTORS  
彈簧螺式接頭 P48



ULTRA  
CONNECTORS  
插線式連接器 P48



QUICK SPLICE  
電源接線夾 P49



ALLIGATOR  
CLIPS&TUBES  
鱷魚夾 P49



RING NON-INSULATED  
TERMINAL  
R型裸端子 P59



SPADE NON-  
INSULATED TERMINAL  
Y型裸端子 P60



NON-INSULATED  
PARALLEL SPLICE  
短銅管 P60



NON-INSULATED  
BUTT CONNECTOR  
長銅管 P61




RING TUBULAR  
LUGS  
R型高壓銅管端子 P61



HAND CRIMPING  
TOOLS  
端子工具 P62

### 配線槽 WIRING DUCTS



PLASTIC WIRING  
DUCTS  
絕緣配線槽 P63-64



WIRING DUCT  
COVER  
絕緣配線槽蓋 P65



WIRING-DUCT  
CUTTER  
線槽剪 P65



TELEPHONE  
WIRING DUCTS  
電話配線槽 P66



DECORATION  
WIRING DUCTS  
裝潢配線槽 P66



ROUND TYPE  
WIRING DUCTS  
半圓弧形地板型配  
線槽 P67

### 配線標誌 CABLE MARKERS



CABLE  
MARKERS  
PVC 配線標誌圈 P68



CABLE MARKER  
STRIP  
標誌靶 P68



MARKER PLATE  
標誌銘牌 P68



OM TYPE  
MARKERS  
OM 型標誌圈 P69



CLIP-ON CABLE  
MARKER  
插入式配線標誌 P69



MARKER CARDS  
布質配線標誌 P69

### 電纜固定頭 CABLE GLANDS



NYLON CABLE  
GLAND P71-73  
MM 型尼龍電纜固定頭



NYLON CABLE  
GLAND P74  
PG 型尼龍電纜固定頭



NYLON CABLE  
GLAND P74  
NPT 型尼龍電纜固定頭



MULTI-HOLE  
SEAL  
多孔內塞

### PC板固定零件 P.C.B FASTENERS



LOCKING WIRE  
隔離束徑座 P75



TWIST HOLDERS  
隔離扭線環 P75



MINIATURE  
SUPPORT POST  
PC板隔離插柱 P75



DUAL LOCKING  
SUPPORTS  
雙鉤式隔離插柱 P76



SCREW FASTENED  
CIRCUIT BOARD  
SUPPORT  
平底式隔離插柱 P76



SLIDE SPACER  
SUPPORTS  
推式隔離插柱 P77





Samples & Complete Catalogue Available 如需樣品和完整目錄歡迎洽詢



DOUBLE-SIDED FOAM TAPE 雙面膠帶 P65



MARKING PEN 速乾筆 P70



MARKING MACHINE 打字機 P70



DAMPER P80



REVERSE SPACER SUPPORT PC 板間隔柱 P77




MUSHROOM SPACER SUPPORTS 平頂隔離插柱 P77



PLASTIC SCREWS 塑膠螺絲 P78



PUSH RIVETS 推式鉚釘 P78



DIN RAILS 鋁軌 P79



ANCHOR CLIP P79



PUSH RIVET P79



SCRIVET P79



TRIM CLIP P80



CABLE CLIP P80



**RELIABLE · CREATIVE · PERSONAL**  
科學化研發 · 專業化製造 · 先進化管理



## **YONYU GROUP**

Y.Y. CABLE ACCESSORIES CO., LTD.  
YONYU PLASTICS CO., LTD.  
YONYU APPLIED TECHNOLOGY MATERIAL CO., LTD.

精奕興業股份有限公司  
永裕塑膠工業股份有限公司  
新永裕應用科技材料股份有限公司

WORLDWIDE HEADQUARTER & SALES OFFICE  
107, Sheng Li Road, Jen-Teh District,  
Tainan City, Taiwan

TEL: 886-6-7020888(REP.) 886-6-2705577  
FAX: 886-6-2702943 886-6-2795295

<http://www.yy-yonyu.com.tw> · <http://www.yy-yonyu.com.cn>  
E-mail: [sales@yy-yonyu.com.tw](mailto:sales@yy-yonyu.com.tw) · Skype: sales-yy

- 新田總廠 HSIN-TIEN FACTORY  
台灣省台南市仁德區新田里勝利路107號
- 勝利二廠 SHENG-LI FACTORY  
台灣省台南市仁德區新田里勝利路100號
- 勝利三廠 SHENG-LI FACTORY  
台灣省台南市仁德區新田里勝利路125號
- 上海總廠 SHANG HAI FACTORY  
上海市閩行區常青工業區都會路335弄88號