

YY

Ties with A World of Difference

CABLE ACCESSORIES



SINCE 1964
YONYU GROUP

Y.Y. CABLE ACCESSORIES CO., LTD

TIE MOUNTS & CLAMPS

配線固定零件




TIE MOUNTS (SELF-ADHESIVE)

(08) 黏式固定座

- ◎材質：Nylon 6/6
背附雙面膠帶
- ◎防火等級：UL 94V-2
- ◎顏色：本色、黑色



- Material: Nylon 6/6, with qualified backed adhesive
- Flammability: UL 94V-2
- Color: Natural & Black
- A pair with 2 pieces is also available
- YY cable ties could be inserted from any of the 4 ways-saving orientation tie



品名 ITEM NO.	長度 Length mm (in.)	寬度 Width mm (in.)	高 Height mm	座孔 B φ mm	Mounting	Used with cable ties (T)	包裝 PACKING
SDM-100	12.5 (0.49")	12.5 (0.49")	3.2	-	-	M	100pcs
SDM-101	19.0 (0.75")	19.0 (0.75")	4	-	-	M.I.S	
SDM-101M	19.0 (0.75")	19.0 (0.75")	5	4.10	#8	M.I	
SDM-101S	19.0 (0.75")	19.0 (0.75")	4	3.20	#4	M.I.S	
SDM-102	28.4 (1.12")	28.4 (1.12")	5.5	5.50	#10	M.I.S	
SDM-102S	26.5 (1.04")	26.5 (1.04")	7.4	4.30	#8	M.I.S	
SDM-103	38.4 (1.5")	38.4 (1.5")	6.3	5.20	#10	M~HD	
SDM-101-2 pair	19.0 (0.75")	19.0 (0.75")	4	-	-	M.I	50 pairs
SDM-102-2 pair	28.0 (1.1")	28.0 (1.1")	5	5.00	#10	M.I.S	




TIE MOUNTS (SADDLE TYPE)

(08) 馬蹄型固定座

- ◎材質：Nylon 6/6
- ◎防火等級：UL 94V-2
- ◎顏色：本色、黑色



- Material: Nylon 6/6
- Flammability: UL 94V-2
- Color: Natural & Black
- The cradle design provides stability and rigidity to the wire bundle



品名 ITEM NO.	長度 Length mm (in.)	寬度 Width mm (in.)	高 Height mm	座孔 B φ mm	Mounting	Used with cable ties (T)	包裝 PACKING
STM-0	19.1 (0.75")	12.7 (0.50")	3	4.4	#8	I.S	100pcs
STM-1	15.0 (0.59")	10.0 (0.39")	7	3.7	#6	M.I.S	
STM-2	23.0 (0.91")	16.0 (0.63")	9.2	6.4	#14	M~HD	
STM-2S	23.0 (0.91")	16.0 (0.63")	9.2	5.1	#10	M~HD	
STM-3	19.0 (0.75")	9.5 (0.37")	5	3.7	#6	M.I.S	
STM-3M	19.0 (0.75")	9.5 (0.37")	5	4.3	#8	M.I.S	
STM-3L	19.0 (0.75")	9.5 (0.37")	5	5.2	#11	M.I.S	

TIE MOUNTS & CLAMPS

配線固定零件




CABLE CLAMPS

(08) 配線固定鈕

- ◎材質：Nylon 6/6
- ◎防火等級：UL 94V-2
- ◎顏色：本色、黑色



- Material: Nylon 6/6
- Flammability: UL 94V-2
- Color: Natural & Black



品名 ITEM NO.	尺寸 Dimensions(mm)					包裝 PACKING
	A(Screw)		B	C	D	
CC-1/8"	5.2	#10	9.0	13.0	3.2 (1分)	100 pcs / 1000 pcs
CC-3/16"	5.2	#10	10.5	10.2	4.3 (1分半)	
CC-1/4"	4.8	#8	10.5	9.5	6.3 (2分)	
CC-5/16"	4.8	#8	10.5	9.5	7.6 (2分半)	
CC-3/8"	4.8	#8	12.5	9.5	8.7 (3分)	
CC-1/2"	4.8	#8	15.0	12.4	12.6 (4分)	
CC-5/8"	4.8	#8	18.0	12.0	15.8 (5分)	
CC-3/4"	4.8	#8	18.0	12.0	19.4 (6分)	100 pcs
CC-1"	5.3	#11	21.0	12.8	24 (1吋)	
CC-1 1/16"	4.6	#8	24.0	12.0	27.5 (1吋半)	
CC-1 1/4"	4.8	#8	26.0	12.0	30.0 (1吋2分)	
CC-1 1/2"	4.8	#8	30.0	12.6	36.7 (1吋4分)	




MANSONRY PUSH MOUNTS

(09) 壁虎固定座

- ◎材質：Nylon 6/6
- ◎防火等級：94V-2
- ◎顏色：黑色；本色及灰色可訂製



- Material: Nylon 6/6
- Flammability: UL 94V-2
- Color: Black (Other color are also available upon request)



品名 ITEM NO.	尺寸 Dimensions(mm)			使用束帶規格 Used with cable ties	包裝 PACKING
	總長 L mm	孔徑寬度 W2 mm	螺紋外徑 W3 mm		
MPM-0831	31	9.9	7.2	M, I, S, LHD, HD	100 pcs
MPM-1042	42	9.7	10		
MPM-1049	49	9.7	10		




WALL PIN PLUG

(09) 塑膠壁虎

- ◎材質：PE
- ◎顏色：白色



- Material: PE
- Color: White



品名 ITEM NO.	長度 Length mm	包裝 PACKING
WPP-1"	23	100pcs
WPP-1 1/4"	27.3	
WPP-1 3/4"	41.1	50pcs



TIE MOUNTS & CLAMPS

配線固定零件




- Material: PVC, with quality adhesive backing
- Color: Grey
- Working temperature of the adhesive backing (rubber): -10°C ~ 50°C
- Features: Low profile clips retain cords, cables, or tubing
Flexible design allows for easy cord insertion, but holds bundle tightly
- Recommend for indoor use only


FJC CLIP

(09) J 型固定夾

- ◎材質：PVC
- ◎顏色：灰色
- ◎背膠工作溫度：-10 °C ~ 50 °C
- ◎特色：貼緊平面並可卡緊電線、電纜、或各式管線。
產品本身為彈性設計，可將管線輕易嵌入並牢固固定。
- ◎本產品建議室內使用。



品名 ITEM NO.	長度 Length A mm (in.)	寬度 Width B mm (in.)	高度 Height C mm (in.)	直徑 Diameter D mm (in.)	背膠類型 Adhesive Type	包裝 PACKING
FJC-12	25.4 (1.00")	21.8 (0.86")	4.8 (0.19")	3.3 (0.13")	Rubber	100pcs
FJC-19	31.8 (1.25")	22.1 (0.87")	6.6 (0.26")	4.6 (0.18")		
FJC-25	38.1 (1.50")	24.6 (0.97")	8.4 (0.33")	5.8 (0.23")		
FJC-31	44.5 (1.75")	30.1 (1.22")	10.2 (0.40")	7.4 (0.29")		
FJC-38	50.8 (2.00")	32.3 (1.27")	12.7 (0.50")	9.9 (0.39")		




CABLE MOUNT

(09) 電線固定夾

- ◎材質：Nylon 6/6
- ◎防火等級：UL 94V-2
- ◎顏色：本色、黑色
- ◎用途：黏貼式，用於整理線束、易裝設、易拆解。


- Material: Nylon 6/6, with quality adhesive backing
- Flammability: UL 94V-2
- Color: Natural & Black
- For Use: to arrange cables and save space, easy to assemble, disassemble, and maintain.



品名 ITEM NO.	尺寸 Dimensions mm (in.)					背膠厚度 Thickness of Adhesive Tape mm (in.)	包裝 PACKING
	A	B	C	D	E		
SCM-1310	13.0 (0.51")	10.0 (0.39")	6.8 (0.27")	2.0 (0.08")	Ø4.0 (0.16")	1.1 (0.043")	1000 pcs
SCM-1513	15.0 (0.59")	13.0 (0.51")	9.0 (0.35")	2.0 (0.08")	Ø6.0 (0.24")		
SCM-2219	21.6 (0.85")	19.0 (0.75")	12.8 (0.50")	2.2 (0.09")	Ø9.0 (0.35")		500 pcs
SCM-2520	25.0 (0.98")	20.0 (0.79")	13.2 (0.52")	2.2 (0.09")	Ø11.0 (0.43")		250 pcs
SCM-3225	32.0 (1.26")	25.4 (1.00")	16.0 (0.63")	2.0 (0.08")	Ø13.4 (0.53")		200 pcs
SCM-3625	35.8 (1.41")	24.8 (0.98")	16.8 (0.66")	2.7 (0.11")	Ø18.0 (0.71")		100 pcs
SCM-5650	56.1 (2.21")	50.0 (1.97")	20.1 (0.79")	2.7 (0.11")	Ø25.4 (1.00")		
SCM-5750	56.1 (2.21")	50.0 (1.97")	20.1 (0.79")	2.7 (0.11")	Ø30.0 (1.18")		
SCM-3832	37.6 (1.48")	31.5 (1.24")	17.0 (0.67")	2.7 (0.11")	Ø18.0 (0.71")	0.9 (0.035")	

TIE MOUNTS & CLAMPS

配線固定零件




FLAT CABLE CLAMPS


(09) 貼式排線固定夾

- ◎材質：PVC
背附雙面進口膠帶
- ◎顏色：灰色

- Material: PVC with quality adhesive backing
- Color: Grey
- Allow for easy insertion and hold bundles tightly



品名 ITEM NO.	長 L mm (in.)	寬 W mm (in.)	高 H mm (in.)	包裝 PACKING
FCC-15	15 (0.59")	25.4 (1.0")	9 (0.35")	100 pcs
FCC-20	20 (0.78")			
FCC-25	25 (0.98")			
FCC-30	28 (1.10")	24.0 (0.94")		




FLAT CABLE CLAMPS

(09) 尼龍貼式排線固定夾

- ◎材質：Nylon 6/6
背附雙面膠帶
- ◎顏色：本色

- Material: Nylon 6/6 with quality adhesive backing
- Color: Natural
- Allow for easy insertion and hold bundles tightly



品名 ITEM NO.	長 L mm (in.)	寬 W mm (in.)	高 H mm (in.)	包裝 PACKING
FC-0605	19 (0.75")	19 (0.75")	9.4 (0.27")	100 pcs
FC-1208	26.8 (1.06")	26.5 (1.04")	11.7 (0.47")	
FC-1813	25.5 (1.0")	25.5 (1.0")	17 (0.67")	
FC-2211	32.5 (1.28")	28 (1.1")	15 (0.59")	




SELF-ADHESIVE CABLE CLAMP

(09) 配線固定座

- ◎材質：Nylon6/6
背附雙面膠帶
- ◎防火等級：UL 94V-2
- ◎顏色：黑色（本色需訂製）

- Material: Nylon 6/6, with qualified backed adhesive
- Flammability: UL 94V-2
- Color: Black (natural also available upon request)



品名 ITEM NO.	適用線徑 Suitable wire size (mm)	底座長度 Length mm (in.)	底座寬度 Width mm (in.)	包裝 PACKING
ACC-6	6	26 (1.02")	12 (0.47")	100pcs
ACC-9	7.5	29 (1.14")	14.5 (0.57")	
ACC-12	12	35 (1.38")	18.5 (0.73")	
ACC-14	14	36.5 (1.44")	19.5 (0.77")	
ACC-16	15	38 (1.5")	20 (0.79")	
ACC-18	17	41 (1.61")	25 (0.98")	
AWC-1	8-10	25 (0.98")	19 (0.75")	
AWC-2	10-13	32 (1.26")	19 (0.75")	
AWC-3	13-15	37 (1.46")	18 (0.71")	
AWC-4	16-20	42 (1.05")	25 (0.98")	
AWC-5	22-25	42 (1.05")	21.5 (0.85")	



TIE MOUNTS & CLAMPS

配線固定零件




TWIST LOCKS


(09) 扭式束線扣

- ◎材質：Nylon 6/6
- ◎防火等級：UL 94V-2
- ◎顏色：本色

- Material: Nylon 6/6
- Flammability: UL 94-2
- Color: Natural



品名 ITEM NO.	內徑 ΦA mm	長度 L mm	厚度 B mm	捆紮束徑 Bundle Dimension mm	包裝 PACKING
TL-05	5.1	21.6	1.5	4.4	100 pcs
TL-08	7	25	2	7	
TL-11	11.6	29.8	1.7	10.1	
TL-15	15	33.8	1.9	13.4	
TL-18	18	38	2	16.5	
TL-23	23.6	45	2	21.3	
TL-25	28	55.1	2	26.7	




PUSH TIE MOUNT

(09) 插式固定座

- ◎材質：Nylon 6/6
- ◎防火等級：94V-2
- ◎顏色：本色

- Material: Nylon 6/6
- Flammability: UL 94V-2
- Color: Natural
- For Use: Applied to secure wires in pre-drilled $\phi 6.2$ mm panel, cabinets or frames



品名 ITEM NO.	最大束帶寬度 Max. tie width (mm)	機板孔徑 Panel Hole (mm)	包裝 PACKING
PTM-8	8	6.2	100 pcs




CABLE CLIP

(09) 白扁線固定夾

- ◎材質：PE，附鋼釘
- ◎顏色：白色；黑色及灰色可訂製

- Material: Impact resistant PE
- Color: White (Other color are also available upon request)
- With nail inserted, applied for general flat cables



品名 ITEM NO.	寬度 W mm	外高 H mm	內高 H1 mm	適用電線電纜尺寸 SUITABLE CABLES	鋼釘 NAILS mm	包裝 PACKING
CCF-AB	5.5	5.5	3.1	small flat wire	2.0*15	100 pcs
CCF-1.6	8	8	5	1.6m/m white flat wires	2.0*15	
CCF-2.0	8.5	8	5.2	2.0m/m white flat wires	2.5*18	
CCF-2.2	10	10	6.5	CNS 2.0m/m white flat wires	2.5*21	

TIE MOUNTS & CLAMPS

配線固定零件




CABLE CLIP

(09) 入釘式電纜固定夾

◎材質：PE，附鋼釘

◎顏色：灰色；黑色及白色可訂製

- Material: Impact resistant PE
- Color: Grey (Other color are also available upon request)
- With nail inserted, applied for general round cables



品名 ITEM NO.	寬度 W mm	外高 H mm	內高 H1 mm	適用電線電纜尺寸 SUITABLE CABLES	鋼釘 NAILS mm	包裝 PACKING
CCN-0.35N	3.5	5.9	3.7	1 pair of wires	2.0*15	100 pcs
CCN-0.4N	4	6.6	4.2	1 pair of wires	2.5*18	
CCN-0.5N	5	7.6	5.3	3C2V antenna, 5 pair of wires	2.5*18	
CCN-1.0N	6	9	6.6	5C2V antenna, 10 pair of wires	2.5*20	
CCN-1.5N	7	11	7.5	5C2V antenna, 10 pair of wires	2.5*22	
CCN-2.0N	8	11.5	8.6	3C 1.25mm ² wires	2.5*22	
CCN-3.0N	10	13.4	10.5	3C 3.5mm ² wires, 20 pair of wires	2.5*27	
CCN-3.5N	11	16	12.2	2C 5.5mm ² , 3C 3.5mm ²	2.5*27	
CCN-4.0N	12	16	12.5	2C 5.5mm ² , 3C 5.5mm ² , 4C 5.5mm ²	2.5*27	
CCN-6.0N	14	20.5	15.6	3C 8mm ² wires	3.0*35	
CCN-7.0N	16	21.7	17	3C 14mm ² wires, 3/8" pipe	3.2*38	
CCN-8.0N	22	27.8	22.5	3C 22mm ² wires, 1/2" pipe	3.2*42	
CCN-9.0N	25	31.6	26	3C 38mm ² wires, 3/4" pipe	3.2*47	50 pcs
CCN-10.0N	32	40	33.5	1" pipe	3.6*56	




CABLE CLIP

(09) 電話線固定夾

◎材質：PE，附鋼釘

◎顏色：灰色

- Material: Impact resistant PE
- Color: Grey
- With nail inserted, applied for telephone cords



品名 ITEM NO.	寬度 W mm	外高 H mm	內高 H1 mm	適用電線電纜尺寸 SUITABLE CABLES	鋼釘 NAILS mm	包裝 PACKING
CCT-0.2	4.8	7	2.5	0.2mm ² 2C&4C	2*15	100 pcs



DOUBLE NAIL CABLE CLIP


(09) 雙釘式電纜固定夾

◎材質：PE，附鋼釘

DNH-11 以上規格鋼釘與塑膠座分開

◎顏色：灰色

- Material: Impact resistant PE
- Color: Grey
- With nail inserted, applied for general round cables



品名 ITEM NO.	寬度 W mm	外高 H mm	內高 H1 mm	適用電線電纜尺寸 SUITABLE CABLES	鋼釘 NAILS mm	包裝 PACKING
DNH-10	32	40	33.5	1" PVC pipe	3.6*56	20 pcs
DNH-11	40	50	41	1 1/4" PVC pipe	4.0*68	
DNH-12	50.3	48.3	50.3	1 1/2" PVC pipe	4.0*78	
DNH-14	62	71	62	2" PVC pipe	4.5*97	



TIE MOUNTS & CLAMPS


配線固定零件



NON-PERFORATED STAINLESS STEEL HOSE CLAMP

(09) 歐式不鏽鋼管夾

◎材質：304、316、430 不鏽鋼可選擇
◎規格：符合 DIN3017 標準



- Material: available with 316 S.S. (W5), 304 S.S. (W4), 430 S.S. (W2)
- Housing: Standard Type, without weld on the back of housing
Weld Type, with weld on the back of housing
- Specification: comply with DIN3017
- Application: 316 S.S. (W5): Marine, high applying of the corrosion resistance
304 S.S. (W4): Heavy Industry, Food Industry, Machine, medium applying of the corrosion resistance
430 S.S. (W2): Hardware, Automotive Industry, Home DIY, Garden, low applying of the corrosion resistance

品名 ITEM NO. 316 S.S.	品名 ITEM NO. 304 S.S.	品名 ITEM NO. 430 S.S.	尺寸 Size W*T (mm)	束徑範圍 Clamping Range (D)		Type	扭力 Tightening Torque (Nm)	包裝 PACKING
				mm	Maximum in.			
NHC2-09012	NHC-09012	NHC3-09012	9*0.6	8-12	1/2"	Standard type / Weld type	W5: 5.0-6.0 W4: 4.0-5.0 (standard type) 4.5-5.5 (weld type) W2: 3.0-4.0 (standard type) 3.5-4.5 (weld type)	200pcs /box 10boxes /ctn
NHC2-09016	NHC-09016	NHC3-09016		10-16	5/8"			
NHC2-09020	NHC-09020	NHC3-09020		12-20	3/4"			
NHC2-09022	NHC-09022	NHC3-09022		12-22	7/8"			
NHC2-09025	NHC-09025	NHC3-09025		16-25	1"			100pcs /box 10boxes /ctn
NHC2-09027	NHC-09027	NHC3-09027		16-27	1-1/16"			
NHC2-09032	NHC-09032	NHC3-09032		20-32	1-1/4"			
NHC2-09040	NHC-09040	NHC3-09040		25-40	1-5/8"			
NHC2-09045	NHC-09045	NHC3-09045		30-45	1-3/4"			
NHC2-09050	NHC-09050	NHC3-09050		32-50	2"			
NHC2-09060	NHC-09060	NHC3-09060		40-60	2-3/8"			
NHC2-12025	NHC-12025	NHC3-12025	12*0.7	16-25	1"	Standard type / Weld type	W5: 5.5-6.5 W4: 4.5-5.5 (standard type) 5.5-6.5 (weld type) W2: 3.5-4.5 (standard type) 4.5-5.5 (weld type)	100pcs /box 10boxes /ctn
NHC2-12027	NHC-12027	NHC3-12027		16-27	1-1/16"			
NHC2-12032	NHC-12032	NHC3-12032		20-32	1-1/4"			
NHC2-12040	NHC-12040	NHC3-12040		25-40	1-5/8"			
NHC2-12045	NHC-12045	NHC3-12045		30-45	1-3/4"			
NHC2-12050	NHC-12050	NHC3-12050		32-50	2"			
NHC2-12060	NHC-12060	NHC3-12060		40-60	2-3/8"			
NHC2-12070	NHC-12070	NHC3-12070		50-70	2-3/4"			
NHC2-12080	NHC-12080	NHC3-12080		60-80	3-1/8"			
NHC2-12090	NHC-12090	NHC3-12090		70-90	3-1/2"			
NHC2-12100	NHC-12100	NHC3-12100		80-100	4"			50pcs /box 10boxes /ctn
NHC2-12110	NHC-12110	NHC3-12110		90-110	4-3/8"			
NHC2-12120	NHC-12120	NHC3-12120		100-120	4-3/4"			
NHC2-12130	NHC-12130	NHC3-12130		110-130	5-1/8"			
NHC2-12140	NHC-12140	NHC3-12140		120-140	5-1/2"			
NHC2-12150	NHC-12150	NHC3-12150		130-150	5-7/8"			
NHC2-12160	NHC-12160	NHC3-12160		140-160	6-1/4"			
NHC2-12170	NHC-12170	NHC3-12170		150-170	6-3/4"			
NHC2-12180	NHC-12180	NHC3-12180		160-180	7"			
NHC2-12190	NHC-12190	NHC3-12190		170-190	7-1/2"			
NHC2-12200	NHC-12200	NHC3-12200		180-200	7-7/8"			
NHC2-12210	NHC-12210	NHC3-12210		190-210	8-3/4"			
NHC2-12220	NHC-12220	NHC3-12220		200-220	9-1/2"			
NHC2-12230	NHC-12230	NHC3-12230		210-230	9-1/8"			
NHC2-12240	NHC-12240	NHC3-12240		220-240	9-2/5"			

TIE MOUNTS & CLAMPS

配線固定零件




PERFORATED HOSE CLAMP

-STAINLESS STEEL

(09) 美式不鏽鋼管夾

◎材質：304、430 不鏽鋼
◎規格：符合 SAE 標準



- Material: available with 304 S.S. (W4), 430 S.S. (W2)
- Specification: comply with SAE standard
- Application: 304 S.S. (W4): Heavy Industry, Food Industry, Machine, Agricultural Machinery, medium applying of the corrosion resistance
430 S.S. (W2): Hardware, Automotive Industry, Home DIY, Garden, low applying of the corrosion resistance

品名 ITEM NO. 304 S.S.	品名 ITEM NO. 430 S.S.	尺寸 Size W*T (mm)	束徑範圍 Clamping Range (D)		扭力 Tightening Torque (Nm)	包裝 PACKING
			mm	Maximum in.		
HC-09013	HC3-09013	9*0.6	6-13	1/2"	W4: 3.5 W2: 3.0	200pcs/box 10boxes/ctn
HC-09016	HC3-09016		8-16	5/8"		
HC-09020	HC3-09019		11-20	3/4"		
HC-09023	HC3-09023		12-23	7/8"		
HC-09025	HC3-09026		13-25	1"		
HC-09027	HC3-09027		14-27	1-1/16"		
HC-09032	HC3-09032	12.7*0.6	17-32	1-1/4"	W4: 4.5 W2: 4.0	100pcs/box 10boxes/ctn
HC-09038	HC3-09038		17-38	1-1/2"		
HC-12027	HC3-12027		19-27	1-1/16"		
HC-12032	HC3-12032		16-32	1-1/4"		
HC-12038	HC3-12038		21-38	1-1/2"		
HC-12044	HC3-12044		19-44	1-3/4"		
HC-12051	HC3-12051		32-51	2"		
HC-12057	HC3-12057		38-57	2-1/4"		
HC-12065	HC3-12064		40-63	2-1/2"		
HC-12076	HC3-12076		57-76	3"		
HC-12089	HC3-12089		65-89	3-1/2"		
HC-12100	HC3-12100		78-102	4"		
HC-12115	HC3-12115		91-114	4-1/2"		
HC-12127	HC3-12127		105-127	5"		
HC-12152	HC3-12152		130-152	6"		
HC-12178	HC3-12178		156-178	7"		25pcs/box 10boxes/ctn

- Material: Steel with zinc plated
- Spec: comply with SAE standard
- Application:

Steel with zinc plated (W1): Hardware, Automotive Industry, Home DIY, Garden, Machine, Agricultural Machinery...so on




PERFORATED HOSE CLAMP

-STEEL WITH ZINC PLATED

(09) 美式鐵鍍鋅管夾

◎材質：鐵鍍鋅
◎規格：符合 SAE 標準



品名 ITEM NO.	尺寸 Size W*T (mm)	束徑範圍 Clamping Range (D)		扭力 Tightening Torque (Nm)	包裝 PACKING
		mm	Maximum in.		
HC4-09013	9*0.6	8-13	1/2"	1.5	200pcs/box
HC4-09016		10-16	5/8"		
HC4-09019		13-19	3/4"		
HC4-09023		16-23	7/8"		
HC4-09026		13-26	1"		
HC4-12027	12.7*0.6	19-27	1-1/16"	4.9	100pcs/box
HC4-12032		16-32	1-1/4"		
HC4-12038		21-38	1-1/2"		
HC4-12044		19-44	1-3/4"		
HC4-12051		32-51	2"		
HC4-12057		38-57	2-1/4"		
HC4-12064		40-64	2-1/2"		
HC4-12076		57-76	3"		
HC4-12089		65-89	3-1/2"		
HC4-12100		78-101	4"		
HC4-12115		91-114	4-1/2"		
HC4-12121	12.7*0.7	105-121	4-3/4"	5.9	50pcs/box
HC4-12127		105-127	5"		
HC4-12152		130-152	6"		
HC4-12165		141-165	6-1/2"		
HC4-12178		156-178	7"		
HC4-12203		165-203	8"		

TIE MOUNTS & CLAMPS

配線固定零件



ROLLING HOSE CLAMP

(09) 捲式管夾

- ◎材質: 304/430 不銹鋼
- ◎帶寬: 8 mm / 帶厚: 0.7mm
- ◎螺絲材質: 鐵鍍鎳
- ◎螺絲種類: Phillips head
- ◎螺絲尺寸: 1/4"
- ◎殼與帶身分開購買

- Material of housing/band: 304/430 stainless steel
- Strap widths: 8mm (5/16") / Strap Thickness: 0.7mm
- Material of screw: steel with nickel coating
- Screw type: Phillips head
- Screw size: 1/4"
- Housing and strap is available to purchase separately

品名 ITEM NO. 304 S.S.	品名 ITEM NO. 430 S.S.	規格 Product Specification	包裝 PACKING
HCR-080030SET	HCR3-080030SET	Band Length : 3 M Housing : 8 Pcs	100sets/ctn
HCR-080530SET	HCR3-080050SET	Band Length : 5M Housing : 8 Pcs	100sets/ctn




EAR HOSE CLAMP

(09) 耳式管夾

- ◎材質: 304 不銹鋼材質
- ◎特色: 用於連接管線, 束緊力佳
- ◎用於一般工業機械、汽車零件

- Material: 304 stainless steel
- Feature: Connect pipe quickly, economic offer for may industries.
More efficiency, smooth edge, no damage to parts when installed.
- Application: Automotive Industry, Chemicals, Water System



品名 ITEM NO.	尺寸 Size W*T (mm)	束徑範圍 Clamping Range(D) mm	包裝 PACKING
EHC-05105	5*0.5	8.8~10.5	500 pcs/box, 2 boxes/ctn
EHC-05113	5*0.5	9.6~11.3	
EHC-07133	7*0.6	10.8~13.3	
EHC-07153	7*0.6	12.8~15.3	



ADJUSTABLE EAR HOSE CLAMP

(09) 可調式耳式管夾

- ◎材質: 304 和 430 不銹鋼材質
- ◎特色: 用於連接管線, 束緊力佳
- ◎用於一般工業機械、汽車零件

- Material: 304/430 stainless steel
- Feature: Connect pipe quickly, economic offer for may industries.
More efficiency, smooth edge, no damage to parts when installed.
- Application: Automotive Industry, Chemicals, Water System

品名 ITEM NO. 304 S.S.	品名 ITEM NO. 430 S.S.	尺寸 Size W*T (mm)	束徑範圍 Clamping Range mm	包裝 PACKING
AEC-07300	AEC3-07300	7*0.6	22~30	500 pcs/box, 2 boxes/ctn
AEC-07320	AEC3-07320	7*0.6	24~32	
AEC-07350	AEC3-07350	7*0.6	27~35	
AEC-07400	AEC3-07400	7*0.6	32~40	
AEC-07450	AEC3-07450	7*0.6	37~45	
AEC-07500	AEC3-07500	7*0.6	42~50	

TIE MOUNTS & CLAMPS

配線固定零件




CV-JOINT BOOT HOSE CLAMP

(09) 不鏽鋼防塵套管夾

◎材質：430 不鏽鋼材質
◎特色：專用於傳動軸防塵套之管夾

- Material: 304 stainless steel
- Feature: Designed for CV-Joints parts
More efficiency, smooth edge, no damage to parts when installed.
- Application: Automotive Industry, Rubber



品名 ITEM NO.	尺寸 Size			束徑範圍 Clamping Range		包裝 PACKING
	寬 W mm	厚 T mm	長 L mm	mm	in.	
CHC-06360	6.4	0.3	360	25~50	1"~2"	1,250pcs/box, 2 boxes/ctn
CHC-06740	6.4	0.3	740	70~110	2-3/4"~4-5/16"	625pcs/box, 2 boxes/ctn



ADJUSTABLE CV-BOOT HOSE CLAMPS (INTERLOCK)

(09) 可調式不鏽鋼防塵套管夾（多孔內扣型）

◎材質：430 不鏽鋼材質
◎特色：專用於傳動軸防塵套之管夾

- Material: 430 stainless steel
- Feature: Designed for CV-Joints parts
More efficiency, smooth edge, no damage to parts when installed.
- Application: Automotive Industry, Rubber

品名 ITEM NO.	尺寸 Size			束徑範圍 Clamping Range		包裝 PACKING
	寬 W mm	厚 T mm	長 L mm	mm	in.	
CHI-07160	7.0	0.5	160	27~38	1"~1-1/2"	1,000pcs/box, 4 boxes/ctn
CHI-08425	8.0	0.6	425	45~115	3/4"~4-1/2"	250pcs/box, 4 boxes/ctn
CHI-06160	6.4	0.5	160	27~38	1"~1-1/2"	1,000pcs/box, 4 boxes/ctn
CHI-08425-1	8.0	0.6	425	45~115	3/4"~4-1/2"	250pcs/box, 4 boxes/ctn



ADJUSTABLE CV-BOOT HOSE CLAMPS (OUTERLOCK)

(09) 可調式不鏽鋼防塵套管夾（多孔外勾型）

◎材質：430 不鏽鋼材質
◎特色：專用於傳動軸防塵套之管夾

- Material: 430 stainless steel
- Feature: Designed for CV-Joints parts
More efficiency, smooth edge, no damage to parts when installed.
- Application: Automotive Industry, Rubber

品名 ITEM NO.	尺寸 Size			束徑範圍 Clamping Range		包裝 PACKING
	寬 W mm	厚 T mm	長 L mm	mm	in.	
CHO-07245	7.0	0.5	245	32~58	1-1/4"~2-1/4"	1,000pcs/box, 4 boxes/ctn
CHO-07405	7.0	0.5	405	73~108	2-3/4"~4-5/16"	500pcs/box, 4 boxes/ctn

TIE MOUNTS & CLAMPS


配線固定零件




RUBBER NAIL CLAMP

(09) 橡膠水管固定夾

- ◎金屬材質：304 或 316 不鏽鋼材質
- ◎線圈材質：橡膠
- ◎用途：適用於汽車業、電子業以及機械製造業之管線、電纜保護。



- ◎金屬材質：鐵鍍鋅
- ◎線圈材質：橡膠
- ◎用途：適用於汽車業、電子業以及機械製造業之管線、電纜保護。



- Metal Material: 304/316 Stainless Steel
- Lined Material: Rubber
- Features: For pipes, cables, groups of cables or hoses.
- Application: Automotive, electrical and mechanical industries.

品號 ITEM NO.		內徑 Inner Dia (D)		厚度 Thickness (T)		寬度 Width		孔徑 Dia of hole		包裝 PACKING
304SS	316SS	mm	in.	mm	in.	mm	in.	mm	in.	
RCC-3/16	RCC2-3/16	4.76	0.188	0.8	0.0315	12.7	0.5	7.1	0.279	100pcs
RCC-1/4	RCC2-1/4	6.35	0.250	0.8	0.0315	12.7	0.5	7.1	0.279	
RCC-3/8	RCC2-3/8	9.53	0.375	0.8	0.0315	12.7	0.5	7.1	0.279	
RCC-1/2	RCC2-1/2	12.70	0.500	0.8	0.0315	12.7	0.5	7.1	0.279	
RCC-5/8	RCC2-5/8	15.88	0.625	0.8	0.0315	12.7	0.5	7.1	0.279	
RCC-3/4	RCC2-3/4	19.05	0.750	0.8	0.0315	12.7	0.5	7.1	0.279	
RCC-7/8	RCC2-7/8	22.23	0.875	0.8	0.0315	12.7	0.5	7.1	0.279	
RCC-1	RCC2-1	25.40	1.000	0.8	0.0315	12.7	0.5	7.1	0.279	
RCC-1 1/8	RCC2-1 1/8	28.58	1.125	0.8	0.0315	12.7	0.5	7.1	0.279	
RCC-1 1/4	RCC2-1 1/4	31.75	1.250	0.8	0.0315	12.7	0.5	7.1	0.279	
RCC-1 3/8	RCC2-1 3/8	34.93	1.375	0.8	0.0315	12.7	0.5	7.1	0.279	
RCC-1 1/2	RCC2-1 1/2	38.10	1.500	0.8	0.0315	12.7	0.5	7.1	0.279	
RCC-1 5/8	RCC2-1 5/8	41.28	1.625	0.8	0.0315	12.7	0.5	7.1	0.279	
RCC-1 3/4	RCC2-1 3/4	44.45	1.750	0.8	0.0315	12.7	0.5	7.1	0.279	
RCC-1 7/8	RCC2-1 7/8	47.63	1.875	0.8	0.0315	12.7	0.5	7.1	0.279	
RCC-2	RCC2-2	50.80	2.000	1.0	0.0394	12.7	0.5	7.1	0.279	
RCC-2 1/8	RCC2-2 1/8	53.98	2.125	1.0	0.0394	12.7	0.5	7.1	0.279	
RCC-2 1/4	RCC2-2 1/4	57.15	2.250	1.0	0.0394	12.7	0.5	7.1	0.279	
RCC-3/8	RCC2-3/8	60.33	2.375	1.0	0.0394	12.7	0.5	7.1	0.279	
RCC-2 1/2	RCC2-2 1/2	63.50	2.500	1.0	0.0394	12.7	0.5	7.1	0.279	
RCC-3	RCC2-3	76.20	3.000	1.0	0.0394	12.7	0.5	7.1	0.279	


- Metal Material: Galvanized Steel
- Lined Material: Rubber
- Features: For pipes, cables, groups of cables or hoses.
- Application: Automotive, electrical and mechanical industries.

品號 ITEM NO.	內徑 Inner Dia (D)		厚度 Thickness (T)		寬度 Width		孔徑 Dia of hole		包裝 PACKING
	mm	in.	mm	in.	mm	in.	mm	in.	
RCC4-3/16	4.76	0.188	0.8	0.0315	12.7	0.5	6.8	0.268	100pcs
RCC4-1/4	6.35	0.250	0.8	0.0315	12.7	0.5	6.8	0.268	
RCC4-3/8	9.53	0.375	0.8	0.0315	12.7	0.5	6.8	0.268	
RCC4-1/2	12.70	0.500	0.8	0.0315	12.7	0.5	6.8	0.268	
RCC4-5/8	15.88	0.625	0.8	0.0315	12.7	0.5	6.8	0.268	
RCC4-3/4	19.05	0.750	0.8	0.0315	12.7	0.5	6.8	0.268	
RCC4-7/8	22.23	0.875	0.8	0.0315	12.7	0.5	6.8	0.268	
RCC4-1	25.40	1.000	0.8	0.0315	12.7	0.5	6.8	0.268	
RCC4-1 1/8	28.58	1.125	0.8	0.0315	12.7	0.5	6.8	0.268	
RCC4-1 1/4	31.75	1.250	0.8	0.0315	12.7	0.5	6.8	0.268	
RCC4-1 3/8	34.93	1.375	0.8	0.0315	12.7	0.5	6.8	0.268	
RCC4-1 1/2	38.10	1.500	0.8	0.0315	12.7	0.5	6.8	0.268	
RCC4-1 5/8	41.28	1.625	0.8	0.0315	12.7	0.5	6.8	0.268	
RCC4-1 3/4	44.45	1.750	0.8	0.0315	12.7	0.5	6.8	0.268	
RCC4-1 7/8	47.63	1.875	0.8	0.0315	12.7	0.5	6.8	0.268	
RCC4-2	50.80	2.000	1	0.0394	12.7	0.5	6.8	0.268	
RCC4-2 1/8	53.98	2.125	1	0.0394	12.7	0.5	6.8	0.268	
RCC4-2 1/4	57.15	2.250	1	0.0394	12.7	0.5	6.8	0.268	
RCC4-2 3/8	60.33	2.375	1	0.0394	12.7	0.5	6.8	0.268	
RCC4-2 1/2	63.50	2.500	1	0.0394	12.7	0.5	6.8	0.268	
RCC4-3	76.20	3.000	1	0.0394	12.7	0.5	6.8	0.268	

Advanced Technology


Quality First

追求完美是我們對品質唯一的要求




WELCOME TO YY

We would like to show you around,
and demonstrate how we have become
the leading supplier in the packing &
wiring-accessories industry in Asia.



SALES TURNOVER IN USD MILLION





PRODUCT CATALOG

尼龍束帶 CABLE TIES



Y.Y. CABLE TIES
尼龍束帶 P1-10



POLYPROPYLENE
CABLE TIES
PP束帶 P6



RELEASABLE
TIES
可鬆開式束帶 P11



MOUNTABLE
HEAD TIES
圓頭鎖式束帶 P12



MARKER TIES
標示型束帶 P12



DOUBLE HEAD
CABLE TIE
雙頭式束帶 P13

配線固定零件 TIE MOUNTS CLAMPS



TIE MOUNTS
(SELF-ADHESIVE)
黏式固定座 P23



TIE MOUNTS
(SADDLE TYPE)
馬蹄型固定座 P23



CABLE CLAMPS
配線固定鈕 P24



MANSONRY PUSH
MOUNTS
壁虎固定座 P24



FJC CLIP
J型固定夾 P25



CABLE MOUNT
電線固定夾 P25

配線保護零件 PROTECTS



HEAT SHRINKABLE
TUBINGS
薄壁熱收縮套管 P34



DUAL WALL
(Adhesive-lined)
雙層含膠含水型熱
收縮套管 P35



HEAT SHRINKABLE
TUBING BOX
熱縮管整理盒 P36



HOT AIR GUN
熱風槍 P36



SPLIT FLEXIBLE
CONDUIT
剖開式浪管 P37



SOLID FLEXIBLE
CONDUIT
密閉式浪管 P38

電線接頭端子 CONNECTORS



CLOSED-END
CONNECTORS
閉端端子 P47



WING
CONNECTORS
翼型彈簧式旋轉接頭 P47



WIRE-NUT
CONNECTORS
彈簧螺式接頭 P48



ULTRA
CONNECTORS
插線式連接器 P48



QUICK SPLICE
電源接線夾 P49



ALLIGATOR
CLIPS&TUBES
鱷魚夾 P49



RING NON-INSULATED
TERMINAL
R型裸端子 P59



SPADE NON-
INSULATED TERMINAL
Y型裸端子 P60



NON-INSULATED
PARALLEL SPLICE
短銅管 P60



NON-INSULATED
BUTT CONNECTOR
長銅管 P61



RING TUBULAR
LUGS
R型高壓銅管端子 P61



HAND CRIMPING
TOOLS
端子工具 P62

配線槽 WIRING DUCTS



PLASTIC WIRING
DUCTS
絕緣配線槽 P63-64



WIRING DUCT
COVER
絕緣配線槽蓋 P65



WIRING-DUCT
CUTTER
線槽剪 P65



TELEPHONE
WIRING DUCTS
電話配線槽 P66



DECORATION
WIRING DUCTS
裝潢配線槽 P66



ROUND TYPE
WIRING DUCTS
半圓弧形地板型配
線槽 P67

配線標誌 CABLE MARKERS



CABLE
MARKERS
PVC 配線標誌圈 P68



CABLE MARKER
STRIP
標誌靶 P68



MARKER PLATE
標誌銘牌 P68



OM TYPE
MARKERS
OM 型標誌圈 P69



CLIP-ON CABLE
MARKER
插入式配線標誌 P69



MARKER CARDS
布質配線標誌 P69

電纜固定頭 CABLE GLANDS



NYLON CABLE
GLAND P71-73
MM 型尼龍電纜固定頭



NYLON CABLE
GLAND P74
PG 型尼龍電纜固定頭



NYLON CABLE
GLAND P74
NPT 型尼龍電纜固定頭



MULTI-HOLE
SEAL
多孔內塞

PC板固定零件 P.C.B FASTENERS



LOCKING WIRE
隔離束徑座 P75



TWIST HOLDERS
隔離扭線環 P75



MINIATURE
SUPPORT POST
PC板隔離插柱 P75



DUAL LOCKING
SUPPORTS
雙鉤式隔離插柱 P76



SCREW FASTENED
CIRCUIT BOARD
SUPPORT
平底式隔離插柱 P76



SLIDE SPACER
SUPPORTS
推式隔離插柱 P77



Samples & Complete Catalogue Available 如需樣品和完整目錄歡迎洽詢



DOUBLE-SIDED FOAM TAPE 雙面膠帶 P65



MARKING PEN 速乾筆 P70



MARKING MACHINE 打字機 P70



DAMPER P80



REVERSE SPACER SUPPORT PC 板間隔柱 P77




MUSHROOM SPACER SUPPORTS 平頂隔離插柱 P77



PLASTIC SCREWS 塑膠螺絲 P78



PUSH RIVETS 推式鉚釘 P78



DIN RAILS 鋁軌 P79



ANCHOR CLIP P79



PUSH RIVET P79



SCRIVET P79



TRIM CLIP P80



CABLE CLIP P80



RELIABLE · CREATIVE · PERSONAL
科學化研發 · 專業化製造 · 先進化管理



YONYU GROUP

Y.Y. CABLE ACCESSORIES CO., LTD.
YONYU PLASTICS CO., LTD.
YONYU APPLIED TECHNOLOGY MATERIAL CO., LTD.

精奕興業股份有限公司
永裕塑膠工業股份有限公司
新永裕應用科技材料股份有限公司

WORLDWIDE HEADQUARTER & SALES OFFICE
107, Sheng Li Road, Jen-Teh District,
Tainan City, Taiwan

TEL: 886-6-7020888(REP.) 886-6-2705577
FAX: 886-6-2702943 886-6-2795295

<http://www.yy-yonyu.com.tw> · <http://www.yy-yonyu.com.cn>
E-mail: sales@yy-yonyu.com.tw · Skype: sales-yy

- 新田總廠 HSIN-TIEN FACTORY
台灣省台南市仁德區新田里勝利路107號
- 勝利二廠 SHENG-LI FACTORY
台灣省台南市仁德區新田里勝利路100號
- 勝利三廠 SHENG-LI FACTORY
台灣省台南市仁德區新田里勝利路125號
- 上海總廠 SHANG HAI FACTORY
上海市閩行區常青工業區都會路335弄88號