

# YY

*Ties with A World of Difference*

## **CABLE ACCESSORIES**



SINCE 1964  
YONYU GROUP

**Y.Y. CABLE ACCESSORIES CO., LTD**

# Advanced Technology


## Quality First

追求完美是我們對品質唯一的要求




## WELCOME TO YY

We would like to show you around,  
and demonstrate how we have become  
the leading supplier in the packing &  
wiring-accessories industry in Asia.



## SALES TURNOVER IN USD MILLION





# CABLE MARKER

## 配線標誌



### CABLE MARKERS

#### (50) PVC 配線標誌圈

- ◎材質：軟質 PVC 料精製
- ◎顏色：黃底黑字或白底黑字

- Material: Soft durable PVC
- Color: Available with all standard figures, letters and symbols in black on yellow, or black on white
- Very flexible in use



CMA



CMB



CMC

品名 ITEM NO.	最小至最大內徑 DIA. RANGE mm	標準標示 STD. MARKING	包裝 PACKING
CMA-0	2.0~3.2	Solid number or letter per roll for 0~9, A~Z, +, -, ≡, /, blank	1000pcs/roll
CMA-1	3.0~4.2		500pcs/roll
CMA-2	3.6~7.4		250pcs/roll
CMA-3	5.2~10.0		1000pcs/roll
CMB-0	2.0~3.2		500pcs/roll
CMB-1	3.0~4.2		
CMB-2	3.6~7.4		
CMC	3.5~7.0		




### CABLE MARKER STRIP

#### (50) 標誌靶

- ◎材質：Nylon 6/6
- ◎防火等級：UL 94V-2
- ◎顏色：黑色，白色可訂製
- ◎僅販售靶身部分，不含配線標誌
- ◎與 CMC 配線標誌搭配使用

- Material: Nylon 6/6
- Flammability: UL 94V-2
- Color: Black (White color is also available upon request)
- Only sell the Strip. Not include the cable marker which is available upon request
- Use with cable marker (CMC)



品名 ITEM NO.	長度 LENGTH mm	寬度 WIDTH mm	可容納之 CMC 配線標誌數 Capacity of CMC Cable Marker(PCS)	包裝 PACKING
CMS-065	65	9	9	100pcs
CMS-100	100	9	16	
CMS-135	135	9	23	




### MARKER PLATE

#### (50) 標誌銘牌

- ◎材質：Nylon 6/6

- Material: Nylon 66
- Flammability: UL94V-2



品名 ITEM NO.	長度 LENGTH (mm)	寬度 WIDTH (mm)	厚度 THICKNESS (mm)	包裝 PACKING
MP-1	26	15	1.2	100pcs
MP-2	42	21	1.2	
MP-3	60	25	1.2	
MP-4	62	51.5	1.3	



# CABLE MARKER

## 配線標誌



### OM TYPE MARKERS

#### (50) OM 型標誌圈

- ◎材質：軟質 PVC
- ◎顏色：白底黑字
- ◎特點：易安裝，可絕緣於切斷處剝斷即可使用
- ◎100M/ 捲的空白標誌套管亦可承製

- Material: Soft durable PVC
- Color: Black legends on white background
- Special marking is available upon request
- 100M per roll with blank mark also available

品名 ITEM NO.	長度 LENGTH mm	適用電線尺寸 WIRE SIZE mm	內徑 WIRE DIA. mm	標準標示 STD. MARKING	包裝 PACKING
OMM-0.75	10	0.75	3	Solid number or letter per roll for 0~99, A~Z, +, -, =, blank	100pcs
OMM-1.25	10	1.25	3.2		
OMM-2.0	10	2	3.6		
OMM-3.5	10	3.5	4.2		
OMM-5.5	10	5.5	5.1		
OMM-8.0	10	8	6.2		
OMM-14.0	10	14	7.6		
OMM-22.0	10	22	9.1		




### CLIP-ON CABLE MARKER

#### (51) 插入式配線標誌

- ◎材質：Nylon
- ◎白底黑字
- ◎筆狀插入標誌，不佔空間，易於攜帶，插上電線即可嵌入標誌
- ◎可拆式及可重複使用

- Marker material: Nylon
- Working temp.: -20°C ~ 60°C
- Color: Black legends on white background
- Available with standard figure, letter and symbols
- Removable and reusable. All markers are supplied on handy application with speed installation



品名 ITEM NO.	內徑 I.D. ψ d mm	外徑 O.D. ψ D mm	L (mm)	適用電線外徑 WIRE SIZE	號碼 MARKING	桿子顏色 SHAFT COLOR	包裝 PACKING
COM-0	0.90	1.70	2.3	0.95-1.3mm	Solid number or letter for 0~9 A~Z +, -	dark red	10pcs
COM-1	1.80	2.80	3	1.9-2.2mm		light blue	
COM-2	2.40	3.40		2.5-2.8mm		green	
COM-3	2.70	3.90		2.8-3.4mm		red	
COM-4	2.90	4.60		3.4-4.6mm		blue	
COM-5	3.70	5.10		3.9-4.5mm		brown	
COM-6	4.40	5.80		4.6-5.9mm		yellow	



### MARKER CARDS

#### (50) 布質配線標誌

- ◎材質：採附背膠之軟布，上印文字及代號

- Material: Cloth marker
- Solid, consecutive legends, or black cards in different width or length available
- Stick on wire fore permanent identification

品名 ITEM NO.	可印範圍寬度 WIDTH mm	可印範圍長度 LENGTH mm	標準標示 STD. MARKING	包裝 PACKING
WSM-20	5	22.9	Solid number or letter for 0~100, A~Z, +, -	70pcs per sheet, 50 sheets per box
WSM-40	8	22.9		



### MARKING PEN

(99) 速乾筆

- Y.Y. Marker Ties have a tag moulded to the tie which can be written on using our MP-1 Marking Pen

品名 ITEM NO.	顏色 COLOR	包裝 PACKING
MP-1	Black	12 pcs



### MARKING MACHINE

(99) 打字機

◎備有連接電腦機種

產品說明：

- ★ 尺寸：250 × 30 × 85mm
- ★ 重量：2.0Kg
- ★ 文字：300dpi 解析度
- ★ 列印速度：25mm/sec
- ★ 列印材料：
  - PVC 套管  $\Phi 2.5 \sim 5.2\text{mm}$ ，0.5mm 厚
  - 貼紙 寬：6, 9, 12mm；長：30m (銀：27m)
  - 熱收縮管  $\Phi 3 \sim 7\text{mm}$
  - 銘板 4mm 銘板條
  - 透明管  $\Phi 3 \sim 7\text{mm}$
- ★ 6 種大小尺寸文字
- ★ 每次輸入資料最多 400 組
- ★ 每組長度 8~150mm
- ★ 內部記憶最多 7500 字 (存檔)
- ★ 不切 / 半切 / 全切
- ★ 切刀微調
- ★ 連接電腦：無
- ★ 電源：AC100~240V
- ★ 背光 LCD 顯示器





## PRODUCT CATALOG

### 尼龍束帶 CABLE TIES



Y.Y. CABLE TIES  
尼龍束帶 P1-10



POLYPROPYLENE  
CABLE TIES  
PP束帶 P6



RELEASABLE  
TIES  
可鬆開式束帶 P11



MOUNTABLE  
HEAD TIES  
圓頭鎖式束帶 P12



MARKER TIES  
標示型束帶 P12



DOUBLE HEAD  
CABLE TIE  
雙頭式束帶 P13

### 配線固定零件 TIE MOUNTS CLAMPS



TIE MOUNTS  
(SELF-ADHESIVE)  
黏式固定座 P23



TIE MOUNTS  
(SADDLE TYPE)  
馬蹄型固定座 P23



CABLE CLAMPS  
配線固定鈕 P24



MANSONRY PUSH  
MOUNTS  
壁虎固定座 P24



FJC CLIP  
J型固定夾 P25



CABLE MOUNT  
電線固定夾 P25

### 配線保護零件 PROTECTS



HEAT SHRINKABLE  
TUBINGS  
薄壁熱收縮套管 P34



DUAL WALL  
(Adhesive-lined)  
雙層含膠含水型熱收縮套管 P35



HEAT SHRINKABLE  
TUBING BOX  
熱縮管整理盒 P36



HOT AIR GUN  
熱風槍 P36



SPLIT FLEXIBLE  
CONDUIT  
剖開式浪管 P37



SOLID FLEXIBLE  
CONDUIT  
密閉式浪管 P38

### 電線接頭端子 CONNECTORS



CLOSED-END  
CONNECTORS  
閉端端子 P47



WING  
CONNECTORS  
翼型彈簧式旋轉接頭 P47



WIRE-NUT  
CONNECTORS  
彈簧螺式接頭 P48



ULTRA  
CONNECTORS  
插線式連接器 P48



QUICK SPLICE  
電源接線夾 P49



ALLIGATOR  
CLIPS&TUBES  
鱷魚夾 P49



RING NON-INSULATED  
TERMINAL  
R型裸端子 P59



SPADE NON-INSULATED  
TERMINAL  
Y型裸端子 P60



NON-INSULATED  
PARALLEL SPLICE  
短銅管 P60



NON-INSULATED  
BUTT CONNECTOR  
長銅管 P61



RING TUBULAR  
LUGS  
R型高壓銅管端子 P61



HAND CRIMPING  
TOOLS  
端子工具 P62

### 配線槽 WIRING DUCTS



PLASTIC WIRING  
DUCTS  
絕緣配線槽 P63-64



WIRING DUCT  
COVER  
絕緣配線槽蓋 P65



WIRING-DUCT  
CUTTER  
線槽剪 P65



TELEPHONE  
WIRING DUCTS  
電話配線槽 P66



DECORATION  
WIRING DUCTS  
裝潢配線槽 P66



ROUND TYPE  
WIRING DUCTS  
半圓弧形地板型配線槽 P67

### 配線標誌 CABLE MARKERS



CABLE  
MARKERS  
PVC 配線標誌圈 P68



CABLE MARKER  
STRIP  
標誌靶 P68



MARKER PLATE  
標誌銘牌 P68



OM TYPE  
MARKERS  
OM 型標誌圈 P69



CLIP-ON CABLE  
MARKER  
插入式配線標誌 P69



MARKER CARDS  
布質配線標誌 P69

### 電纜固定頭 CABLE GLANDS



NYLON CABLE  
GLAND P71-73  
MM 型尼龍電纜固定頭



NYLON CABLE  
GLAND P74  
PG 型尼龍電纜固定頭



NYLON CABLE  
GLAND P74  
NPT 型尼龍電纜固定頭



MULTI-HOLE  
SEAL  
多孔內塞

### PC板固定零件 P.C.B FASTENERS



LOCKING WIRE  
隔離束徑座 P75



TWIST HOLDERS  
隔離扭線環 P75



MINIATURE  
SUPPORT POST  
PC板隔離插柱 P75



DUAL LOCKING  
SUPPORTS  
雙鉤式隔離插柱 P76



SCREW FASTENED  
CIRCUIT BOARD  
SUPPORT  
平底式隔離插柱 P76



SLIDE SPACER  
SUPPORTS  
推式隔離插柱 P77





Samples & Complete Catalogue Available 如需樣品和完整目錄歡迎洽詢



DOUBLE-SIDED FOAM TAPE 雙面膠帶 P65



MARKING PEN 速乾筆 P70



MARKING MACHINE 打字機 P70



DAMPER P80



REVERSE SPACER SUPPORT PC 板間隔柱 P77




MUSHROOM SPACER SUPPORTS 平頂隔離插柱 P77



PLASTIC SCREWS 塑膠螺絲 P78



PUSH RIVETS 推式鉚釘 P78



DIN RAILS 鋁軌 P79



ANCHOR CLIP P79



PUSH RIVET P79



SCRIVET P79



TRIM CLIP P80



CABLE CLIP P80



**RELIABLE · CREATIVE · PERSONAL**  
科學化研發 · 專業化製造 · 先進化管理



## **YONYU GROUP**

Y.Y. CABLE ACCESSORIES CO., LTD.  
YONYU PLASTICS CO., LTD.  
YONYU APPLIED TECHNOLOGY MATERIAL CO., LTD.

精奕興業股份有限公司  
永裕塑膠工業股份有限公司  
新永裕應用科技材料股份有限公司

WORLDWIDE HEADQUARTER & SALES OFFICE  
107, Sheng Li Road, Jen-Teh District,  
Tainan City, Taiwan

TEL: 886-6-7020888 (REP.) 886-6-2705577  
FAX: 886-6-2702943 886-6-2795295

<http://www.yy-yonyu.com.tw> · <http://www.yy-yonyu.com.cn>  
E-mail: [sales@yy-yonyu.com.tw](mailto:sales@yy-yonyu.com.tw) · Skype: sales-yy

- 新田總廠 HSIN-TIEN FACTORY  
台灣省台南市仁德區新田里勝利路107號
- 勝利二廠 SHENG-LI FACTORY  
台灣省台南市仁德區新田里勝利路100號
- 勝利三廠 SHENG-LI FACTORY  
台灣省台南市仁德區新田里勝利路125號
- 上海總廠 SHANG HAI FACTORY  
上海市閩行區常青工業區都會路335弄88號