

YY

Ties with A World of Difference

CABLE ACCESSORIES



SINCE 1964
YONYU GROUP

Y.Y. CABLE ACCESSORIES CO., LTD

WIRING DUCTS


配線槽



PLASTIC WIRING DUCTS

(42) 絕緣配線槽

- ◎材質：採用硬質 PVC 料精製
- ◎顏色：灰色；乳白色、白色亦可接受訂製
- ◎特點：絕緣佳、不自燃
- ◎品號尾數為 -0 者表示無出線孔



- Material: Rigid, high impact, self-extinguishing PVC (gray)
- Used primarily in control panels, the restricted slot design allows wires to be added or removed by simply deflecting the fingers on the side of the duct.
- Solid type wiring ducts also available

品名 ITEM NO.				尺寸 DIMENSIONS W x H mm	電線容量以 2.0 平方計算 WIRES TO BE CONTAINED	長度 LENGTH
出線孔尺寸 SLOT HOLE SIZES						
SOLID 0mm	4mm	6mm	8mm			
WD1525-0	WD1525-4		WD1525-8	15 x 25	5-12pcs	2M/pc
WD2525-0	WD2525-4	WD2525-6	WD2525-8	25 x 25	10-25pcs	
WD2545-0	WD2545-4	WD2545-6	WD2545-8	25 x 45	20-25pcs	
WD2565-0	WD2565-4	WD2565-6	WD2565-8	25 x 65	40-45pcs	
WD3333-0	WD3333-4	WD3333-6	WD3333-8	33 x 33	25-45pcs	
WD3345-0	WD3345-4	WD3345-6	WD3345-8	33 x 45	40-55pcs	
WD3365-0	WD3365-4	WD3365-6	WD3365-8	33 x 65	60-75pcs	
WD33100-0			WD33100-8	33 x 100	180-200pcs	
WD4040-0	WD4040-4	WD4040-6	WD4040-8	40 x 40	60-70pcs	
WD4060-0	WD4060-4	WD4060-6	WD4060-8	40 x 60	100-115pcs	
WD4080-0	WD4080-4		WD4080-8	40 x 80	120-135pcs	
WD4545-0	WD4545-4	WD4545-6	WD4545-8	45 x 45	60-70pcs	
WD4565-0	WD4565-4	WD4565-6	WD4565-8	45 x 65	110-120pcs	
WD48100-0	WD48100-4		WD48100-8	48 x 100	215-250pcs	
WD5050-0	WD5050-4	WD5050-6	WD5050-8	50 x 50	80-90pcs	
WD50100-0			WD50100-8	50 x 100	200-250pcs	
WD6040-0	WD6040-4		WD6040-8	60 x 40	100-115pcs	
WD6060-0	WD6060-4	WD6060-6	WD6060-8	60 x 60	120-135pcs	
WD6080-0	WD6080-4		WD6080-8	60 x 80	180-210pcs	
WD60100-0	WD60100-4		WD60100-8	60 x 100	240-290pcs	
WD6545-0	WD6545-4	WD6545-6	WD6545-8	65 x 45	110-120pcs	
WD6565-0	WD6565-4	WD6565-6	WD6565-8	65 x 65	180-200pcs	
WD70100-0			WD70100-8	70 x 100	250-300pcs	
WD7264-0			WD7264-8	72 x 64	200-220pcs	
WD7575-0			WD7575-8	75 x 75	200-250pcs	
WD75100-0			WD75100-8	75 x 100	260-320pcs	
WD8040-0	WD8040-4		WD8040-8	80 x 40	120-135pcs	
WD8060-0	WD8060-4	WD8060-6	WD8060-8	80 x 60	180-210pcs	
WD8080-0	WD8080-4		WD8080-8	80 x 80	240-290pcs	
WD10050-0			WD10050-8	100 x 50	200-250pcs	
WD10060-0	WD10060-4		WD10060-8	100 x 60	240-290pcs	
WD10075-0			WD10075-8	100 x 75	260-320pcs	
WD10080-0	WD10080-4		WD10080-8	100 x 80	260-350pcs	
WD100100-0	WD100100-4		WD100100-8	100 x 100	300-400pcs	
WD12080-0	WD12080-4		WD12080-8	120 x 80	300-400pcs	
WD15075-0			WD15075-8	150 x 75	335-500pcs	
WD150100-0			WD150100-8	150 x 100	450-600pcs	
WD200100-0			WD200100-8	200 x 100	600-800pcs	
WD300100-0				300 x 100	1040-1200pcs	

2M/pc

WIRING DUCTS


配線槽



PLASTIC WIRING DUCTS

(40) 絕緣配線槽

- ◎材質：採用硬質 PVC 料精製
- ◎顏色：灰色；乳白色、白色亦可接受訂製
- ◎特點：絕緣佳、不自燃



- Material: Rigid, high impact, self-extinguishing PVC (gray)
- Used primarily in control panels, the restricted slot design allows wires to be added or removed by simply deflecting the fingers on the side of the duct.
- Solid type wiring ducts also available

品名 ITEM NO.			尺寸 DIMENSIONS W x H mm	電線容量 以 2.0 平方計算 WIRES TO BE CONTAINED	長度 LENGTH
出線孔尺寸 SLOT HOLE SIZES					
4mm	6mm	8mm			
WD1525-4		WD1525-8	15 x 25	5-12pcs	1.7M/pc
WD2525-4	WD2525-6	WD2525-8	25 x 25	10-25pcs	
WD2545-4	WD2545-6	WD2545-8	25 x 45	20-25pcs	
WD2565-4	WD2565-6	WD2565-8	25 x 65	40-45pcs	
WD3333-4	WD3333-6	WD3333-8	33 x 33	25-45pcs	
WD3345-4	WD3345-6	WD3345-8	33 x 45	40-55pcs	
WD3365-4	WD3365-6	WD3365-8	33 x 65	60-75pcs	
		WD33100-8	33 x 100	180-200pcs	
WD4040-4	WD4040-6	WD4040-8	40 x 40	60-70pcs	
WD4060-4	WD4060-6	WD4060-8	40 x 60	100-115pcs	
WD4545-4	WD4545-6	WD4545-8	45 x 45	60-70pcs	
WD4565-4	WD4565-6	WD4565-8	45 x 65	110-120pcs	
		WD48100-8	48 x 100	215-250pcs	
WD5050-4	WD5050-6	WD5050-8	50 x 50	80-90pcs	
		WD50100-8	50 x 100	200-250pcs	
WD6060-4	WD6060-6	WD6060-8	60 x 60	120-135pcs	
WD6080-4		WD6080-8	60 x 80	180-210pcs	
WD6545-4	WD6545-6	WD6545-8	65 x 45	110-120pcs	
WD6565-4	WD6565-6	WD6565-8	65 x 65	180-200pcs	
		WD70100-8	70 x 100	250-300pcs	
		WD7264-8	72 x 64	200-220pcs	
		WD7575-8	75 x 75	200-250pcs	
WD8080-4		WD8080-8	80 x 80	240-290pcs	
		WD10050-8	100 x 50	200-250pcs	
WD10060-4		WD10060-8	100 x 60	240-290pcs	
		WD10075-8	100 x 75	260-320pcs	
		WD100100-8	100 x 100	300-400pcs	
		WD15075-8	150 x 75	335-500pcs	
		WD150100-8	150 x 100	450-600pcs	


Mounting Hole Dimensions 底槽固定孔

Small Duct(小型線槽)



For width 65mm & below
(線槽寬度 65mm 及以下)

Large Duct(大型線槽)




For width 70mm & above
(線槽寬度 70mm 及以上)



WIRING DUCTS

配線槽



WIRING DUCT COVER

(40) 絕緣配線槽蓋

◎材質：採用硬質 PVC 料精製
◎顏色：灰色



- Material: Rigid, high impact, self-extinguishing PVC
- Color: Gray

品名 ITEM NO.	寬度 WIDTH mm	長度 LENGTH M
WDC-15	15	1.7M or 2M/pc
WDC-25	25	
WDC-33	33	
WDC-40	40	
WDC-45	45	
WDC-48	48	
WDC-50	50	
WDC-60	60	
WDC-65	65	
WDC-70	70	
WDC-72	72	
WDC-80	80	
WDC-100	100	
WDC-150	150	




WIRING-DUCT CUTTER

(99) 線槽剪

◎適用裁剪配線槽寬度 65mm 及以下的尺寸

- Used to wiring duct width 65mm and below

品名 ITEM NO.	可剪線槽寬度 WIRING DUCTS WIDTH mm	包裝 PACKING	備註 REMARK
WDC-01	65	1 PC	For wiring ducts width 65mm and below
WDC-02	38	1 PC	Cut square PVC pipe of dia. 1-1/4" (max. O.D. 38mm) with adaptor or telephone wiring ducts



DOUBLE-SIDED FOAM TAPE

(47) 雙面膠帶

◎材質：DSTP (泡棉膠)
◎特點：黏性強、附著力佳

- Material: Rubber adhesive
- Tape width and packing can be of your option if not listed
- For Use: Applied for mounting and holding

品名 ITEM NO.	泡棉 Foam	寬 Width mm (in.)	用途 For	長度 LENGTH
DSTP-19	PE 泡棉雙面膠帶	19 (0.75")	• Telephone System 電話配線槽 • Mounting 固定座	10M or 50M/roll
DSTP-28		28 (1.10")	• Display Signs 陳列標示 • Packing 包裝用	

WIRING DUCTS

配線槽




TELEPHONE WIRING DUCTS


(45) 電話配線槽

- ◎材質：採用硬質 PVC 料精製
- ◎顏色：乳色；灰色、白色亦可接受訂製
- ◎特點：絕緣佳、不自燃

- Material: Rigid PVC, backed with quality self-adhesive tape
- Color: Ivory (Grey, white, other colors are available upon request)
- For Use: Designed to protect wires on floor



品名 ITEM NO.	尺寸 Dimensions			電線容量 wire contained pcs 以 0.8m/m 電話線計算	長度 LENGTH
	W1 mm	W2 mm	H mm		
TD-1	10.5	9.5	6	2	1M/piece (背膠)
TD-2	13	12.5	7	4	
TD-3	13	14	9.5	6	
TD-4	13.5	16.5	12	9	
TD-5	15	19	15	14	
TD-6	14	19.5	20	18	
TD-8	28.5	39.5	16.5	30	




DECORATION WIRING DUCTS

(45) 裝潢配線槽

- ◎材質：採用硬質 PVC 料精製
- ◎顏色：白色；灰色、棕色亦可接受訂製
- ◎特點：絕緣佳、不自燃

- Material: Rigid PVC, backed with quality self-adhesive tape
- Color: White (Grey, brown, other colors are available upon request)
- For Use: Designed for protection and decoration




品名 ITEM NO.	尺寸 Dimensions		電線容量 以 0.8m/m 電話線計算 wire contained pcs	長度 LENGTH
	W mm	H mm		
DD-1	13.4	10.5	4	1M/piece (背膠)
DD-2	21	12	7	
DD-3	25.7	11.4	10	
DD-4	30	15.7	15	
DD-5	38	11	10-18	
DD-6	50.8	11	15-25	



WIRING DUCTS

配線槽




- Material: Rigid PVC, backed with quality self-adhesive tape
- Color: Ivory (grey, brown, other colors are available upon request)
- For Use: Designed to protect wires and for slide movement on the floor
- Soft round type wiring ducts for "roll-1M without self-adhesive tape" packing (RDS series) are also available

ROUND TYPE WIRING DUCTS

(45) 半圓弧形地板型配線槽


- ◎材質：採用硬質 PVC 料精製
- ◎顏色：乳色；灰色、咖啡色亦可接受訂製
- ◎特點：絕緣佳、不自燃
- ◎亦有整捲軟質半圓弧形地板型配線槽

Type A - ROUND TYPE WIRING DUCT 外覆式無隔板型




品名 ITEM NO.	尺寸 DIMENSIONS				長度 LENGTH
	W mm	W1 mm	H mm	H1 mm	
RD-20	20	8	6.5	4	1M/pc (背膠)
RD-30	30	12	8.5	6	
RD-40	40	16.5	10.5	8	
RD-50	50	29.5	11.5	7.5	
RD-60	60	33	14	11.5	

Type B - ROUND TYPE WIRING DUCT WITH ONE MIDDLE PLATE 外覆式有隔板型



品名 ITEM NO.	尺寸 DIMENSIONS				長度 LENGTH
	W mm	W1 mm	H mm	H1 mm	
RD-70	70	40	16	12.5	1M/pc (背膠)
RD-90	90	45	21	16.5	
RD-120	120	71.5	25.5	21.5	

Type C - ROUND TYPE COVER INSIDE WIRING DUCT 內覆式無隔板型



品名 ITEM NO.	尺寸 DIMENSIONS				長度 LENGTH
	W mm	W1 mm	H mm	H1 mm	
RDI-50	50	21	13.5	9	1M/pc (背膠)
RDI-70	70	41.5	19	15	
RDI-90	90	59.5	22.5	19	
RDI-120	120	87	28	24	

Advanced Technology


Quality First

追求完美是我們對品質唯一的要求



WELCOME TO YY

We would like to show you around,
and demonstrate how we have become
the leading supplier in the packing &
wiring-accessories industry in Asia.



SALES TURNOVER IN USD MILLION





YY GROUP

SINCE 1964

PRODUCT CATALOG

尼龍束帶 CABLE TIES



Y.Y. CABLE TIES
尼龍束帶 P1-10



POLYPROPYLENE
CABLE TIES
PP束帶 P6



RELEASABLE
TIES
可鬆開式束帶 P11



MOUNTABLE
HEAD TIES
圓頭鎖式束帶 P12



MARKER TIES
標示型束帶 P12



DOUBLE HEAD
CABLE TIE
雙頭式束帶 P13

配線固定零件 TIE MOUNTS CLAMPS



TIE MOUNTS
(SELF-ADHESIVE)
黏式固定座 P23



TIE MOUNTS
(SADDLE TYPE)
馬蹄型固定座 P23



CABLE CLAMPS
配線固定鈕 P24



MANSONRY PUSH
MOUNTS
壁虎固定座 P24



JFC CLIP
J型固定夾 P25




CABLE MOUNT
電線固定夾 P25

配線保護零件 PROTECTS



HEAT SHRINKABLE
TUBINGS
薄壁熱收縮套管 P34



DUAL WALL
(Adhesive-lined)
雙層含膠含水型熱收縮套管 P35



HEAT SHRINKABLE
TUBING BOX
熱縮管整理盒 P36



HOT AIR GUN
熱風槍 P36



SPLIT FLEXIBLE
CONDUIT
剖開式浪管 P37



SOLID FLEXIBLE
CONDUIT
密閉式浪管 P38

電線接頭端子 CONNECTORS



CLOSED-END
CONNECTORS
閉端端子 P47



WING
CONNECTORS
翼型彈簧式旋轉接頭 P47



WIRE-NUT
CONNECTORS
彈簧螺式接頭 P48



ULTRA
CONNECTORS
插線式連接器 P48



QUICK SPLICE
電源接線夾 P49




ALLIGATOR
CLIPS&TUBES
鱷魚夾 P49




RING NON-INSULATED
TERMINAL
R型裸端子 P59




SPADE NON-INSULATED
TERMINAL
Y型裸端子 P60



NON-INSULATED
PARALLEL SPLICE
短銅管 P60



NON-INSULATED
BUTT CONNECTOR
長銅管 P61



RING TUBULAR
LUGS
R型高壓銅管端子 P61




HAND CRIMPING
TOOLS
端子工具 P62

配線槽 WIRING DUCTS



PLASTIC WIRING
DUCTS
絕緣配線槽 P63-64



WIRING DUCT
COVER
絕緣配線槽蓋 P65



WIRING-DUCT
CUTTER
線槽剪 P65



TELEPHONE
WIRING DUCTS
電話配線槽 P66



DECORATION
WIRING DUCTS
裝潢配線槽 P66



ROUND TYPE
WIRING DUCTS
半圓弧形地板型配線槽 P67

配線標誌 CABLE MARKERS




CABLE
MARKERS
PVC 配線標誌圈 P68



CABLE MARKER
STRIP
標誌靶 P68



MARKER PLATE
標誌銘牌 P68



OM TYPE
MARKERS
OM 型標誌圈 P69



CLIP-ON CABLE
MARKER
插入式配線標誌 P69



MARKER CARDS
布質配線標誌 P69

電纜固定頭 CABLE GLANDS



NYLON CABLE
GLAND P71-73
MM 型尼龍電纜固定頭



NYLON CABLE
GLAND P74
PG 型尼龍電纜固定頭



NYLON CABLE
GLAND P74
NPT 型尼龍電纜固定頭



MULTI-HOLE
SEAL
多孔內塞

PC板固定零件 P.C.B FASTENERS



LOCKING WIRE
隔離束徑座 P75



TWIST HOLDERS
隔離扭線環 P75



MINIATURE
SUPPORT POST
PC板隔離插柱 P75



DUAL LOCKING
SUPPORTS
雙鉤式隔離插柱 P76



SCREW FASTENED
CIRCUIT BOARD
SUPPORT
平底式隔離插柱 P76



SLIDE SPACER
SUPPORTS
推式隔離插柱 P77



Samples & Complete Catalogue Available 如需樣品和完整目錄歡迎洽詢

 SECURITY SEAL TIE 保全束帶 P13	 CABLE TIES AND FIR TREE MOUNT ASSEMBLIES 束帶含插銷固定座 P14	 PUSH MOUNT TIES 插銷式束帶 P15	 BEAD TIES 珠型結束帶 P16	 CORD BAND TIES 電源收線結束帶 P16	 GRIP TIES 黏扣帶 P18	 BEAD SELF-LOCKING STAINLESS STEEL TIES 珠式不鏽鋼束帶 P19-20	 STAINLESS STEEL BANDING 不鏽鋼鋼捲 P21	 STAINLESS STEEL BUCKLE 不鏽鋼鋼扣 P21	 CABLE TIE TOOLS 束帶工具 P22
 FLAT CABLE CLAMPS 貼式排線固定夾 P26	 TWIST LOCKS 扭式束線扣 P27	 CABLE CLIP 白扁線固定夾 P27	 CABLE CLIP 入釘式電線固定夾 P28	 NON-PERFORATED HOSE CLAMP 歐式管夾 P29	 PERFORATED HOSE CLAMP 美式管夾 P30	 Band Clamp 捲式管夾 P31	 EAR HOSE CLAMP 耳式管夾 P31	 ADJUSTABLE EAR HOSE CLAMP 可調式耳式管夾 P31-32	 RUBBER NAIL CLAMP 橡膠水管固定夾 P33
 SILICON COATED FIBERGLASS SLEEVE 玻璃纖維套管 P39	 SPLIT BRAIDED SLEEVING 刮開式編織網管 P40	 SPLIT BRAIDED SLEEVING 車用編織網管 P40	 STRAIN-RELIEF BUSHINGS 電源線扣 P41	 HOLE PLUGS 扣式塞頭 P41	 SNAP BUSHINGS 扣式護線環 P42	 SPIRAL WRAPPING BAND 捲式結束帶 P43	 FAST SPIRAL WRAPPING BAND 快速蛇捲 P43	 VINYL END CAP 絕緣套管 P44-45	 PVC TUBE PVC 耐電壓套管 P46
 TERMINAL BLOCK 端子台 P50	 INSULATED RING TERMINALS R 圓型絕緣端子 P51	 INSULATED FORK/ SPADE TERMINALS Y 型絕緣端子 P51	 BLADE TERMINALS 扁平型絕緣端子 P53	 INSULATED PIN TERMINALS 針型絕緣端子 P53	 HEAT SHRINK BUTT CONNECTORS 熱收縮中接管 P54	 INSULATED FEMALE DISCONNECTORS 公母插 - 母 P55	 INSULATED MALE DISCONNECTORS 公母插 - 公 P55	 INSULATED BULLET FEMALE DISCONNECTORS 子彈型端子 - 母 P56	 SINGLE WIRE END SLEEVE 單線型歐式端子 P57-58



DOUBLE-SIDED FOAM TAPE
雙面膠帶 P65



MARKING PEN
速乾筆 P70



MARKING MACHINE
打字機 P70



DAMPER P80



REVERSE SPACER SUPPORT
PC 板間隔柱 P77




MUSHROOM SPACER SUPPORTS
平頂隔離插柱 P77



PLASTIC SCREWS
塑膠螺絲 P78



PUSH RIVETS
推式鉚釘 P78



DIN RAILS
鋁軌 P79



ANCHOR CLIP
P79



PUSH RIVET P79



SCRIVET P79



TRIM CLIP P80



CABLE CLIP P80



RELIABLE · CREATIVE · PERSONAL
 科學化研發 · 專業化製造 · 先進化管理



YONYU GROUP

Y.Y. CABLE ACCESSORIES CO., LTD.
 YONYU PLASTICS CO., LTD.
 YONYU APPLIED TECHNOLOGY MATERIAL CO., LTD.

精奕興業股份有限公司
 永裕塑膠工業股份有限公司
 新永裕應用科技材料股份有限公司

WORLDWIDE HEADQUARTER & SALES OFFICE
 107, Sheng Li Road, Jen-Teh District,
 Tainan City, Taiwan

TEL: 886-6-7020888(REP.) 886-6-2705577
 FAX: 886-6-2702943 886-6-2795295

<http://www.yy-yonyu.com.tw> · <http://www.yy-yonyu.com.cn>
 E-mail: sales@yy-yonyu.com.tw · Skype: sales-yy

- 新田總廠 HSIN-TIEN FACTORY
 台灣省台南市仁德區新田里勝利路107號
- 勝利二廠 SHENG-LI FACTORY
 台灣省台南市仁德區新田里勝利路100號
- 勝利三廠 SHENG-LI FACTORY
 台灣省台南市仁德區新田里勝利路125號
- 上海總廠 SHANG HAI FACTORY
 上海市閩行區常青工業區都會路335弄88號